

Etabli par :	S. FOUQUE	Validé par Resp. QSE :	E. MAURICE
Visa :		Visa :	
Liste de diffusion :	Client	Classement :	Data\Banque de connaissances techniques

Introduction

This document presents how to execute and use the RepairS1 program.

This document can be used for the following PC models :

- Phoenix PPC 5315
- Phoenix PPC 5115

Procedure


1. Power on the PC.
2. Connect a USB keyboard/mouse to the PC and the USB key containing the RepairS1 file you received by mail.



If the PC is connected to a Phoenix rack and correctly configured, the Samantha software starts automatically. In order to stop the software, you need to type the ALT+F4 keyboard combination.

3. Press the Windows key and click on Konqueror (see Figure 1).

Figure 1. Linux desktop.




- A Konqueror window is displayed on the screen. In order to go on the USB key folder, you have to type the following address in the corresponding text field (see Figure 2) :

```
/mnt/removable
```



You have to type the full address as written above. Depending on the USB key models, just typing /mnt instead of /mnt/removable can show an empty folder whereas a removable folder should be seen.


Figure 2. Konqueror window.



When you access the USB key and see the RepairS1 file, the file type (next to the file size) should be detected as « Fichier exécutable ». If that is not the case, you need to tell the system that this file is a program and can be executed. This operation can be done (only if necessary) by doing the operations described in the « Executable file » part of this procedure.

5. Double-click on the RepairS1 file to execute it. No action is available as long as the button on the top-right of the window is not pressed. Pushing this button grants you access to 4 different kinds of operations that are described directly in the program (see Figure 3). If you need to use the « Specific actions » button, please refer to the mail with which the program was sent to you to see the specific message you should read on the screen.

Figure 3. RepairS1 program.




Executable file

If you need to grant execution rights to a file, you need to follow these steps:

1. Right-click on the file and choose « Properties » (see Figure 4).

Figure 4. File properties (1).



2. In the « Properties » dialog box (see Figure 5) :
 - a. Choose the « Droits d'accès » tab.
 - b. Check the box labeled as « est exécutable ».
 - c. Click on the « Ok » button.

Figure 5. File properties (2).

